



Jeffrey A. Meyers
Commissioner

Lisa Morris
Director

STATE OF NEW HAMPSHIRE
DEPARTMENT OF HEALTH AND HUMAN
SERVICES

29 HAZEN DRIVE, CONCORD, NH 03301-6527
603-271-4482 1-800-852-3345 Ext. 4482
Fax: 603-271-3850 TDD Access: 1-800-735-2964



New Hampshire
School Immunization Requirements 2017-2018

<p>DTaP DT/DTP Tdap/Td</p>	<p>6 years and under: 4 or 5 doses of a DTaP vaccine with the last dose given on or after the 4th birthday. 7 years and older: 3 or 4 doses of DTaP, Tdap or Td vaccine with the last dose given on or after the 4th birthday. Grades 7-12: 1 dose of Tdap is required for entry into 7th grade. A Tdap vaccine given on or after the 7th birthday meets the school requirement for Grade 7.</p>
<p>Polio</p>	<p>Grades K-5: 3 or 4 doses with one dose on or after the 4th birthday, with the last two doses separated by 6 months. Grades 6-12: 3 doses, with the last dose given on or after the 4th birthday or 4 doses regardless of age at administration.</p>
<p>Hepatitis B</p>	<p>Grades K-12: 3 doses at acceptable intervals. See attached schedule.</p>
<p>MMR</p>	<p>Grades K-12: 2 doses required; the first dose must be on or after the 1st birthday.</p>
<p>Varicella</p>	<p>Grades K-8: 2 doses or laboratory confirmation of chicken pox disease. Grades 9-12: 2 doses, laboratory confirmation of chicken pox disease, or history of chicken pox disease. In all grades the first dose of varicella must be on or after the 1st birthday.</p>

- Children must have proof of all required immunizations, or valid exemptions, in order to be admitted or enrolled in any school. Documentation of immunity by confirming laboratory test results is acceptable for Measles, Mumps, Rubella, Varicella, and Hepatitis B.
- A child may be conditionally enrolled when the parent or guardian provides:
 - (1) Documentation of at least one dose for each required vaccine; AND
 - (2) The appointment date for the next dose of required vaccine.
- All immunizations must meet minimum age and interval requirements for each vaccine. A 4-day grace period is allowed; however, live attenuated vaccines not administered on the same day should be administered at least 28 days apart. Live attenuated vaccines are MMR, Varicella, and FluMist, (the intranasal flu vaccine).
- Medical and religious exemptions have specific requirements. Information is available at: <http://www.dhhs.nh.gov/dphs/immunization/exemptions.htm>

Minimum Age & Interval Schedule for Valid Vaccine Doses - New Hampshire School Immunization Requirements 2017/2018				
Vaccine	Dose #	Minimum Age	Minimum Interval Between Doses	Notes
Diphtheria, Tetanus, and Pertussis DTaP	DTaP – Dose 1	6 weeks	4 weeks between Dose 1 & 2	For children 6 years and under, the 5 th dose is not necessary if the 4 th dose was administered at age 4 years or older.
	DTaP – Dose 2	10 weeks	4 weeks between Dose 2 & 3	
	DTaP – Dose 3	14 weeks	6 months between Dose 3 & 4	
	DTaP – Dose 4	12 months	6 months between Dose 4 & 5	
	DTaP – Dose 5	4 years	-----	
Tetanus, Diphtheria, and Pertussis Tdap	Tdap – Dose 1	10 years*	-----	Students entering 7 th grade are required to have a dose of Tdap. . *Tdap given on or after the 7 th birthday meets this requirement.
Polio IPV	IPV – Dose 1	6 weeks	4 weeks between Dose 1 & 2	*Kindergarten through 5 ^h Grade: 3 or 4 doses, with one dose on or after the 4 th birthday, with the last two doses separated by 6 months. If Dose 3 is given after the 4 th birthday, only 3 doses are required (if an all OPV or all IPV schedule). If a combined IPV/OPV polio schedule was used, 4 doses are always required, even if the 3 rd dose was after the 4 th birthday.
	IPV – Dose 2	10 weeks	4 weeks between Dose 2 & 3	
	IPV – Dose 3	14 weeks	4 weeks to 6 months between Dose 3 & 4*	
	IPV - Dose 4	4 years	-----	
Hepatitis B HepB	HepB – Dose 1	Birth	4 weeks between Dose 1 & 2	Minimum age for Dose 3 is \geq 24 weeks
	HepB – Dose 2	4 weeks	8 weeks between Dose 2 & 3	
	HepB – Dose 3	24 weeks	16 weeks between Dose 1 & 3	
Measles, Mumps, and Rubella MMR	MMR – Dose 1	12 months	4 weeks between Dose 1 & 2	Live attenuated vaccines not administered on the same day should be administered at least 28 days apart.
	MMR – Dose 2	13 months	-----	
Varicella (chickenpox) VAR	VAR – Dose 1	12 months	12 weeks between Dose 1 & 2	If first dose administered \geq age 13 years - two doses separated by a minimum interval of 4 weeks. Live attenuated vaccines not administered on the same day should be administered 28 days apart.
	VAR – Dose 2	15 months	-----	

Pre-school Students 3-5 Years Old

New Hampshire Immunization Requirements 2017/2018

Please refer to the Minimum Age & Interval Schedule
for acceptable intervals and age requirements

DIPHTHERIA, TETANUS, PERTUSSIS (DTaP/DT)

3-5 years	Four doses - the 3 rd and 4 th dose should be separated by at least 6 months.
-----------	---

POLIO

3-5 years	Three doses
-----------	-------------

MEASLES, MUMPS, and RUBELLA (MMR)

3-5 years	A dose administered on or after age 12 months.
-----------	--

HAEMOPHILUS INFLUENZAE TYPE B (Hib)

3-5 years	One dose on or after 15 months of age OR four doses with the last dose administered on or after 12 months of age. Hib is not required for children \geq 5 years of age.
-----------	--

HEPATITIS B VACCINE

3-5 years	Three doses given at acceptable intervals. See attached schedule.
-----------	---

VARICELLA (CHICKEN POX) VACCINE

3-5 years	A dose administered on or after age 12 months.
-----------	--

Brand Names for Vaccines

Alphabetical List

May be used as a reference when reviewing immunization records

This is a list of many vaccine brand names.

Not all are required for school, pre-school, or childcare admittance.

Brand Name	Vaccine(s)/Abbreviation
ActHIB®	Haemophilus influenzae type b (Hib)
Adacel®	Tetanus, Diphtheria, Pertussis (Tdap)
Boostrix®	Tetanus, Diphtheria, Pertussis (Tdap)
Comvax®	Haemophilus influenzae type b (Hib) & Hepatitis B (HepB)
Daptacel®	Diphtheria, Tetanus, Pertussis (DTaP)
DT	Diphtheria, Tetanus (DT)
Engerix B®	Hepatitis B (HepB)
Hiberix®	Haemophilus influenzae type b (Hib)
HibTITER®	Haemophilus influenzae type b (Hib)
Infanrix®	Diphtheria, Tetanus, Pertussis (DTaP)
Ipol®	Polio (IPV)
Kinrix®	Diphtheria, Tetanus, Pertussis (DTaP) & Polio (IPV)
M-M-R II	Measles, Mumps, Rubella (MMR)
Pediarix®	Diphtheria, Tetanus, Pertussis (DTaP), Polio (IPV), & Hepatitis B (HepB)
PedvaxHIB®*	Haemophilus influenzae type b (Hib)
Pentacel®	Diphtheria, Tetanus, Pertussis (DTaP), Polio (IPV), & Haemophilus influenzae type b (Hib)
ProQuad®	Measles, Mumps, Rubella & Varicella (MMRV)
RecombivaxHB®	Hepatitis B (HepB)
Tripedia®	Diphtheria, Tetanus, Pertussis (DTaP)
Varivax®	Varicella (Chicken Pox, VAR)

See <http://www.cdc.gov/vaccines/about/terms/USVaccines.html> for other vaccine brand names.